

TIP

Čirá Przejrzysty Прозрачный

W	⚡	∅ mm	⇅ mm	✂	⌚	K	lm	Energy	📦	EAN	✔	
4x10	G4	9	33		1.000	2900	95	10	10	4000870 843147	✔	843.14
4x20	G4	9	33		1.500	2900	254	10	10	4000870 843246	✔	843.24
10	G4	9	33		1.000	2900	95	25	25	4000870 840108		840.10
20	G4	9	33		1.000	2900	254	25	25	4000870 840207		840.20

W	⚡	∅ mm	⇅ mm	✂	⌚	K	lm	Energy	📦	EAN	✔	
10	G4	9	33		1.500	2900	95	25	25	4000870 830109		830.10
20	G4	9	33		1.500	3000	254	25	25	4000870 830208		830.20



Čirá Przejrzysty Прозрачный

W	⚡	∅ mm	⇅ mm	✂	⌚	K	lm	Energy	📦	EAN	✔	
4x35	GY6,35	12	44		1.000	2900	532	10	10	4000870 843345	✔	843.34
4x50	GY6,35	12	44		1.000	2900	834	10	10	4000870 843543	✔	843.54



Stříbrná Srebrny Серебро

W	⚡	∅ mm	⇅ mm	✂	🌬 COOL BEAM	⌚	K	cd	Energy	📦	EAN	✔	
4x20	GU4	35	35	30° FTD flood		1.000	2900	610	10	10	4000870 842140	✔	842.14
20	GU4	35	35	30° FTD flood		1.000	2900	610	25	25	4000870 840276		840.27
35	GU4	35	35	30° FTH flood		1.000	2900	800	25	25	4000870 840375		840.37



Stříbrná Srebrny Серебро

W	⚡	∅ mm	⇅ mm	✂	🌬 COOL BEAM	⌚	K	cd	Energy	📦	EAN	✔	
4x20	GU5,3	51	45	38° BAB flood		1.000	2900	620	10	10	4000870 842249	✔	842.24
4x35	GU5,3	51	45	38° FMW flood		1.000	2900	800	10	10	4000870 842348	✔	842.34
4x50	GU5,3	51	45	38° EXN flood		1.000	2900	1000	10	10	4000870 842546	✔	842.54
20	GU5,3	51	45	38° BAB flood		1.000	2900	620	20	20	4000870 840269		840.26
35	GU5,3	51	45	38° FMW flood		1.000	2900	800	20	20	4000870 840368		840.36
50	GU5,3	51	45	38° EXN flood		1.000	2900	1000	20	20	4000870 840566		840.56

W	⚡	∅ mm	⇅ mm	✂	🌬 COOL BEAM	⌚	K	cd	Energy	📦	EAN	✔	
20	GU5,3	51	45	38° BAB flood		2.000	2900	700	25	25	4000870 830260		830.26
35	GU5,3	51	45	38° FMW flood		2.000	2900	1250	25	25	4000870 830369		830.36
50	GU5,3	51	45	38° EXN flood		2.000	2900	1700	25	25	4000870 830567		830.56

